

# Safety Data Sheet: ALL-BRIGHT

Supersedes Date: 06/05/2018

Issuing Date: 08/14/2020

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** ALL-BRIGHT  
**Recommended use** Cleaning agent  
**Information on Manufacturer**  
CERTIFIED LABS, DIV. OF NCH CORP.  
BOX 152170  
IRVING, TEXAS 75015

**Product Code:** 0505  
**Chemical nature** Alkaline Aqueous solution  
**Emergency Telephone**  
CHEMTREC® 800-424-9300  
**Telephone inquiry**  
972-579-2477

## 2. HAZARD IDENTIFICATION

**Color** Red

**Physical state** Liquid

**Odor** Odorless

### GHS Classification

Physical Hazards

Corrosive to Metals

Category 1

Health Hazard

Skin Corrosion/Irritation  
Serious Eye Damage/Eye Irritation

Category 1

Category 1

Other hazards

None

### Labeling

Signal Word

**DANGER**



Hazard statements

H314 - Causes severe skin burns and eye damage  
H290 - May be corrosive to metals

Precautionary Statements

P280 - Wear protective gloves, protective clothing, eye protection and face protection.  
P264 - Wash face, hands and any exposed skin thoroughly after handling.  
P260 - Do not breathe mist  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P332 + P313 - If skin irritation occurs, get medical attention.  
P363 - Wash contaminated clothing before reuse  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a physician.  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P342 + P311 - If experiencing respiratory symptoms, call a physician.  
P301+ P330 + P331 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Call a physician if unwell.  
P390 - Absorb spillage to prevent damage.  
P406 - Store in a corrosion-resistant container.  
P501 - Dispose of contents and container in accordance with applicable regulations

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Sodium hydroxide	1310-73-2	7-13
Tetrasodium ethylenediaminetetraacetate	64-02-8	5-10

\*The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

<b>General advice</b>	Do not get in eyes, on skin or on clothing. Do not breathe mist.
<b>Eye Contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention immediately.
<b>Skin Contact</b>	Remove immediately all contaminated clothing. Wash off immediately with plenty of water for at least least 15 minutes. Get medical attention immediately.
<b>Inhalation</b>	Move to fresh air. In case of shortness of breath, give oxygen. If breathing has stopped, apply artificial artificial respiration. Get medical attention immediately.
<b>Ingestion</b>	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.
<b>Notes to physician</b>	Treat symptomatically. The product causes burns of eyes, skin and mucous membranes. Control of circulatory system, shock therapy if needed.

## 5. FIRE-FIGHTING MEASURES

<b>Flash Point</b>	Does not flash	<b>Method</b>	Not applicable
<b>Flammability Limits in Air %:</b>	Hydrogen, by reaction with metals.	<b>Upper:</b>	75
		<b>Lower:</b>	4
<b>Suitable Extinguishing Media</b>	Water spray. Carbon dioxide (CO <sub>2</sub> ). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
<b>Specific hazards arising from the chemical</b>	Contact with metals may evolve flammable hydrogen gas. Material can create slippery conditions.		
<b>Protective Equipment and Precautions for Firefighters</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.		
<b>NFPA</b>	<b>Health</b> 3	<b>Flammability</b>	0
		<b>Instability</b>	0
<b>HMIS -</b>	<b>Health</b> 3	<b>Flammability</b>	0
		<b>Physical Hazard</b>	0

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
<b>Environmental precautions</b>	Do not flush into surface water or sanitary sewer system.
<b>Methods for Containment</b>	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
<b>Methods for Cleaning Up</b>	Pick up and transfer to properly labeled containers.
<b>Neutralizing Agent</b>	Acetic acid, diluted.

## 7. HANDLING AND STORAGE

<b>Handling</b>	Do not get in eyes, on skin or on clothing. Do not breathe mist.			
<b>Storage</b>	Store in original container. Keep in a dry, cool and well-ventilated place. Metal containers must be lined. Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.			
<b>Storage Temperature</b>	<b>Minimum</b>	36 °F / 2 °C	<b>Maximum</b>	109 °F / 43 °C
<b>Storage Conditions</b>	<b>Indoor</b>	X	<b>Outdoor</b>	<b>Heated</b>
				<b>Refrigerated</b>

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Exposure Guidelines</b>				
	<b>Chemical name</b>	<b>ACGIH TLV</b>	<b>OSHA PEL</b>	<b>NIOSH</b>
	Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
<b>Engineering Measures</b>	Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.			
<b>Personal Protective Equipment</b>	Tightly fitting safety goggles. Face-shield.			
<b>Eye/Face Protection</b>	Wear suitable protective clothing, Impervious gloves.			
<b>Skin Protection</b>	In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.			
<b>Respiratory Protection</b>				
<b>General Hygiene Considerations</b>	Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.			

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state</b>	Liquid	<b>Viscosity</b>	Non viscous
-----------------------	--------	------------------	-------------

<b>Color</b>	Red	<b>Odor</b>	Odorless
<b>Odor Threshold</b>	Not applicable	<b>Appearance</b>	Transparent
<b>pH</b>	13.3	<b>Specific Gravity</b>	1.175
<b>Evaporation Rate</b>	0.48 (Butyl acetate=1)	<b>Percent Volatile (Volume)</b>	81.6
<b>VOC Content (%)</b>	0	<b>Vapor pressure</b>	13.84 mmHg @ 70°F
<b>Vapor Density</b>	0.6	<b>Solubility</b>	Completely soluble
<b>n-Octanol/Water Partition</b>	No data available	<b>Melting Point/Range</b>	No data available
<b>Decomposition Temperature</b>	No data available	<b>Boiling Point/Range</b>	> 212 °F / > 100 °C
<b>Flammability (solid, gas)</b>	No data available	<b>Method</b>	Not applicable
<b>Flash Point</b>	Does not flash		
<b>Autoignition Temperature</b>	No information available.		
<b>Flammability Limits in Air %:</b>	Hydrogen, by reaction with metals	<b>Upper:</b> 75	<b>Lower:</b> 4

## 10. STABILITY AND REACTIVITY

<b>Chemical Stability</b>	Stable. Hazardous polymerization does not occur.
<b>Conditions to Avoid</b>	None known.
<b>Incompatible Products</b>	Oxidizing agents, Acids, Aldehydes, Halogenated hydrocarbon, Acid anhydrides, Organic materials, Bases, Alkalis.
<b>Decomposition Temperature</b>	No data available
<b>Hazardous Decomposition Products</b>	Carbon oxides, Nitrogen oxides (NOx), Sulfur oxides, Sodium oxides, Ammonia, Hydrogen, by reaction with metals, Phosgene.
<b>Possibility of Hazardous Reactions</b>	None under normal processing.

## 11. TOXICOLOGICAL INFORMATION

Product Information No information available.

The following values are calculated based on chapter 3.1 of the GHS document

<b>Oral LD50</b>	No information available
<b>Dermal LD50</b>	No information available
<b>Inhalation LC50</b>	
<b>Gas</b>	No information available
<b>Mist</b>	No information available
<b>Vapor</b>	No information available

**Principle Route of Exposure** Skin contact, Eye contact, Inhalation.

**Primary Routes of Entry** None known.

**Acute Effects:**

<b>Eyes</b>	Corrosive to the eyes and may cause severe damage including blindness.
<b>Skin</b>	Causes skin burns.
<b>Inhalation</b>	Harmful by inhalation. Causes burns.
<b>Ingestion</b>	If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

**Chronic Toxicity**

**Target Organ Effects:** Inhaled corrosive substances can lead to a toxic edema of the lungs.

**Aggravated Medical Conditions:** Eyes, Skin, Respiratory system.

**Aggravated Medical Conditions:** Skin disorders, Respiratory disorders.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other
Sodium hydroxide 1310-73-2	= 325 mg/kg ( Rat )	= 1350 mg/kg ( Rabbit )	No data available	No data available	No data available
Tetrasodium ethylenediaminetetraacetate 64-02-8	= 10 g/kg ( Rat ) = 1658 mg/kg ( Rat )	no data available	No data available	No data available	No data available

**Chronic Toxicity**

Chemical name	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Sodium hydroxide 1310-73-2	No data available	No data available	No data available	No data available	Skin; Eyes; Respiratory system

**Carcinogenicity** There are no known carcinogenic chemicals in this product.

## 12. ECOLOGICAL INFORMATION

Product Information No information available.

Additional Ecological Information: No information available

## Component Information

Chemical name	Toxicity to Algae	Toxicity to Fish	Microtox	Crustacea	Partition coefficient
Sodium hydroxide	No information available.	LC50 = 45.4 mg/L Oncorhynchus mykiss 96 h	No information available	No information available.	N/A
Tetrasodium ethylenediaminetetraacetate	EC50 = 1.01 mg/L Desmodesmus subspicatus 72 h	LC50 = 41 mg/L Lepomis macrochirus 96 h LC50 = 59.8 mg/L Pimephales promelas 96 h	No information available	610: 24 h Daphnia magna mg/L EC50	N/A

**Persistence and Degradability** No information available.  
**Bioaccumulation** No information available.  
**Mobility** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Product Disposal** Dispose of in accordance with local regulations.  
**Container Disposal** Empty containers should be taken for local recycling, recovery, or waste disposal. Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

## DOT

**Proper Shipping Name** CAUSTIC ALKALI LIQUIDS, N.O.S.  
**Hazard Class** 8  
**UN-No** UN1719  
**Packing Group** III  
**Description** UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S.,(SODIUM HYDROXIDE),8, PG III

## TDG

**Proper shipping name** CAUSTIC ALKALI LIQUIDS, N.O.S.  
**Hazard Class** 8  
**UN-No** UN1719  
**Packing Group** III  
**Description** UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S.,(SODIUM HYDROXIDE),8, PG III

## ICAO

**UN-No** UN1719  
**Proper Shipping Name** CAUSTIC ALKALI LIQUIDS, N.O.S.  
**Hazard Class** 8  
**Packing Group** III  
**Shipping Description** UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S.,(SODIUM HYDROXIDE),8, PG III

## IATA

**UN-No** UN1719  
**Proper Shipping Name** CAUSTIC ALKALI LIQUIDS, N.O.S.  
**Hazard Class** 8  
**Packing Group** III  
**ERG-Code** 8L  
**Shipping Description** UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S.,(SODIUM HYDROXIDE),8, PG III

## IMDG/IMO

**UN proper shipping name** CAUSTIC ALKALI LIQUIDS, N.O.S.  
**Hazard Class** 8  
**UN Number** UN1719  
**Packing Group** III  
**EmS No.** F-A, S-B  
**Description** UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S.,(SODIUM HYDROXIDE),8, PG III

## 15. REGULATORY INFORMATION

## Inventories

**TSCA** Complies  
**DSL** Complies  
**U.S. Federal Regulations**

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazardous Categorization**

See Section 2

**CERCLA**

Chemical name	Hazardous Substances RQs	CERCLA EHS RQs
Sodium hydroxide	1000 lb	Not applicable

**16. OTHER INFORMATION**

**Prepared By** Pamela Starkey

**Supersedes Date:** 06/05/2018

**Issuing Date:** 08/14/2020

**Reason for Revision** No information available.

**Glossary** No information available.

**List of References.** No information available.

**CERTIFIED LABS, DIV. OF NCH CORP.** assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.