



SAFETY DATA SHEET

Super Heavy Duty Dot 3 Brake Fluid

Revision: 05/20/2014

Supersedes Revision: 08/06/2013

1. Product and Company Identification

Product Code: C55,C56
Product Name: Super Heavy Duty Dot 3 Brake Fluid
Company Name: CYCLO INDUSTRIES, INC. **Phone Number:** (800)843-7813
902 SOUTH US HIGHWAY 1
JUPITER, FL 33477
Web site address: www.cyclo.com
Email address: ehs@cyclo.com
Emergency Contact: First Aid Emergency (800)752-7869
CHEMTREC (703) 527-3887 (800)424-9300
Information: First Aid Emergency (Outside U.S.) (312)906-6194

2. Hazards Identification

Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 4
Skin Corrosion/Irritation, Category 2
Specific Target Organ Toxicity (single exposure), Category 3
Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word: Warning
GHS Hazard Phrases: H302: Harmful if swallowed.
H312: Harmful in contact with skin.
H315: Causes skin irritation.
H319: Causes serious eye irritation.
H336: May cause drowsiness or dizziness.
GHS Precaution Phrases: P264: Wash hands thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P271: Use only outdoors or in a well-ventilated area.
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
GHS Response Phrases: P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P363: Wash contaminated clothing before reuse.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309+311: Call a POISON CENTER or doctor/physician if exposed or you feel unwell.
GHS Storage and Disposal Phrases: P501: Dispose of contents/container in accordance with local/regional/national/international regulation.
P403+233: Store container tightly closed in well-ventilated place.



SAFETY DATA SHEET

Super Heavy Duty Dot 3 Brake Fluid

Page: 2

Revision: 05/20/2014
Supersedes Revision: 08/06/2013

Potential Health Effects (Acute and Chronic):

Inhalation: Mist may cause irritation of upper respiratory tract.

Eye Contact: Can cause minor irritation, tearing & reddening.

Ingestion: Irritating to mouth, throat and stomach. Can cause abdominal discomfort, nausea, vomiting & diarrhea.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
112-50-5	Triethylene glycol monoethyl ether	10.0 -30.0 %
9004-74-4	Methoxypoly(ethylene glycol)	10.0 -30.0 %
4792-15-8	Pentaethylene glycol	10.0 -30.0 %
112-35-6	Triethylene glycol monoethyl ether	5.0 -10.0 %
143-22-6	Triethylene glycol monobutyl ether	5.0 -10.0 %
9004-77-7	Poly(oxy-1,2-ethanediyl), .alpha.-butyl-.omega.-hydroxy-	1.0 -5.0 %
25322-68-3	Polyethylene glycol	0.1 -1.0 %
5650-20-4	3,6,9,12-Tetraoxatetradecan-1-ol	0.1 -1.0 %
2615-15-8	Hexa(ethylene glycol)	0.1 -1.0 %
112-60-7	Tetraethylene glycol	0.1 -1.0 %
112-27-6	Ethanol, 2,2'-(1,2-Ethanediy)bis(oxy)]bis-	0.1 -1.0 %
111-46-6	Diethylene glycol	0.1 -1.0 %
112-34-5	Diethylene glycol monobutyl ether	0.1 -1.0 %
7601-54-9	Sodium phosphate, Tribasic	0.1 -1.0 %
7558-80-7	Monosodium phosphate	0.1 -1.0 %
7778-77-0	Potassium phosphate, Monobasic	0.1 -1.0 %

4. First Aid Measures

Emergency and First Aid Procedures: If swallowed, do not induce vomiting. If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of skin contact, wash with soap and water. Remove contaminated clothing and shoes and launder before reuse. Call physician immediately if adverse reaction occurs.

5. Fire Fighting Measures

Flash Pt: 135.00 C (275.0 F) Method Used: ASTM D Closed Cup

Explosive Limits: LEL: No data, UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Alcohol resistant foam, carbon dioxide or dry chemical. Water agent if carefully applied to the surface of the fire.

Fire Fighting Instructions: Do not enter fire area without proper protection including self-contained breathing apparatus & full protective equipment.

Flammable Properties and Hazards: Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.



SAFETY DATA SHEET

Super Heavy Duty Dot 3 Brake Fluid

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Wear appropriate protective clothing and equipment to prevent skin and eye contact. Avoid all sources of ignition; heat, sparks and open flames. Contain any liquid from leaking containers. Ventilate spill area. Soak up material with absorbent and place in chemical waste container. If clean-up is not immediate, cover spill with plastic or canvas to keep dry. Do not allow to enter sanitary drains, sewer or surface and subsurface waters.

7. Handling and Storage

Precautions To Be Taken in Handling: Mildly irritating material. Avoid unnecessary exposure. Keep out of the reach of children.

Precautions To Be Taken in Storing: Store in a cool, dry place away from incompatible materials.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
112-50-5	Triethylene glycol monoethyl ether	No data.	No data.	No data.
9004-74-4	Methoxypoly(ethylene glycol)	No data.	No data.	No data.
4792-15-8	Pentaethylene glycol	No data.	No data.	No data.
112-35-6	Triethylene glycol monoethyl ether	No data.	No data.	No data.
143-22-6	Triethylene glycol monobutyl ether	No data.	No data.	No data.
9004-77-7	Poly(oxy-1,2-ethanediyl), .alpha.-butyl-.omega.-hydroxy-	No data.	No data.	No data.
25322-68-3	Polyethylene glycol	No data.	No data.	No data.
5650-20-4	3,6,9,12-Tetraoxatetradecan-1-ol	No data.	No data.	No data.
2615-15-8	Hexa(ethylene glycol)	No data.	No data.	No data.
112-60-7	Tetraethylene glycol	No data.	No data.	No data.
112-27-6	Ethanol, 2,2'-[1,2-Ethanediylbis(oxy)]bis-	No data.	No data.	No data.
111-46-6	Diethylene glycol	No data.	No data.	No data.
112-34-5	Diethylene glycol monobutyl ether	No data.	No data.	No data.
7601-54-9	Sodium phosphate, Tribasic	No data.	No data.	No data.
7558-80-7	Monosodium phosphate	No data.	No data.	No data.
7778-77-0	Potassium phosphate, Monobasic	No data.	No data.	No data.

Respiratory Equipment (Specify Type): None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Eye Protection: Wear safety glasses when handling this product if there is a likelihood of contact with eyes.

Protective Gloves: Butyl rubber, natural latex, polyvinyl chloride.

Other Protective Clothing: Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands & other exposed areas with mild soap & water before eating, drinking and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots and chemical safety goggles plus a face shield.

Engineering Controls (Ventilation etc.): No exposure limits exist for the constituents of this product. No engineering controls are likely to be required to maintain operator comfort under normal conditions of use. No



SAFETY DATA SHEET

Super Heavy Duty Dot 3 Brake Fluid

Page: 4

Revision: 05/20/2014
Supersedes Revision: 08/06/2013

respiratory protection required under normal conditions of use.

9. Physical and Chemical Properties

Physical States:	<input type="checkbox"/> Gas	<input checked="" type="checkbox"/> Liquid	<input type="checkbox"/> Solid
Appearance and Odor:	Colorless to pale yellow with strong odor.		
Melting Point:	No data.		
Boiling Point:	262.00 C (503.6 F)		
Autoignition Pt:	No data.		
Flash Pt:	135.00 C (275.0 F)	Method Used:	ASTM D Closed Cup
Explosive Limits:	LEL: No data.	UEL:	No data.
Specific Gravity (Water = 1):	1.04		
Density:	8.71		
Vapor Pressure (vs. Air or mm Hg):	No data.		
Vapor Density (vs. Air = 1):	6		
Evaporation Rate:	No data.		
Solubility in Water:	Complete		
pH:	9.5		
Percent Volatile:	0.0 % by weight.		

10. Stability and Reactivity

Stability:	Unstable <input type="checkbox"/> Stable <input checked="" type="checkbox"/>
Conditions To Avoid - Instability:	Stable under normal conditions. Temperatures above the high flash point of this combustible material in combination with sparks, open flames or other sources of ignition. Dried product residue (can act as an oxidizer). Impact or high temperatures can cause decomposition.
Incompatibility - Materials To Avoid:	Strong acids, strong oxidizing agents.
Hazardous Decomposition Or Byproducts:	Hazardous decomposition products: Aldehydes.
Possibility of Hazardous Reactions:	Will occur <input type="checkbox"/> Will not occur <input checked="" type="checkbox"/>
Conditions To Avoid - Hazardous Reactions:	No data available.



SAFETY DATA SHEET

Super Heavy Duty Dot 3 Brake Fluid

Page: 5

Revision: 05/20/2014
Supersedes Revision: 08/06/2013

11. Toxicological Information

- Toxicological Information:** No data available.
- CAS# 112-50-5:
Other Studies:, TDLo, Oral, Rat, 141.0 MG/KG, 26 W.
Results:
Blood:Changes in leukocyte (WBC) count.
Blood: Changes in platelet count.
Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels: True cholinesterase.
- Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow 113095 Russia, Vol/p/yr: 47(5),84, 1982
- Acute toxicity, LD50, Oral, Rat, 7750. MG/KG.
Results:
Gastrointestinal:Nausea or vomiting.
Behavioral: Muscle weakness.
- Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow 113095 Russia, Vol/p/yr: 47(5),84, 1982
- Acute toxicity, LD50, Oral, Mouse, 5799. MG/KG.
Results:
Behavioral: General anesthetic.
- Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow 113095 Russia, Vol/p/yr: 47(5),84, 1982
- Acute toxicity, LD50, Skin, Species: Rabbit, 8.000 ML/KG.
Results:
Behavioral: Altered sleep time (including change in righting reflex).
Behavioral: Tremor.
- AMA Archives of Industrial Hygiene and Occupational Medicine., For publisher information, see AEHLAU, Chicago, IL, Vol/p/yr: 4,119, 1951
- Acute toxicity, LD50, Oral, Species: Guinea pig, 3070. MG/KG.
Results:
Behavioral: Analgesia.
Lungs, Thorax, or Respiration:Dyspnea.
Kidney, Ureter, Bladder:Hematuria.
- Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow 113095 Russia, Vol/p/yr: 47(5),84, 1982
- Standard Draize Test, Eyes, Species: Rabbit, 500.0 MG, Mild.
Results:
Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Olfaction:Other changes.
Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Conjunctive irritation.
Lungs, Thorax, or Respiration:Other changes.
- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946



SAFETY DATA SHEET

Super Heavy Duty Dot 3 Brake Fluid

Page: 6

Revision: 05/20/2014
Supersedes Revision: 08/06/2013

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
112-50-5	Triethylene glycol monoethyl ether	n.a.	n.a.	n.a.	n.a.
9004-74-4	Methoxypoly(ethylene glycol)	n.a.	n.a.	n.a.	n.a.
4792-15-8	Pentaethylene glycol	n.a.	n.a.	n.a.	n.a.
112-35-6	Triethylene glycol monoethyl ether	n.a.	n.a.	n.a.	n.a.
143-22-6	Triethylene glycol monobutyl ether	n.a.	n.a.	n.a.	n.a.
9004-77-7	Poly(oxy-1,2-ethanediyl), .alpha.-butyl-.omega.-hydroxy-	n.a.	n.a.	n.a.	n.a.
25322-68-3	Polyethylene glycol	n.a.	n.a.	n.a.	n.a.
5650-20-4	3,6,9,12-Tetraoxatetradecan-1-ol	n.a.	n.a.	n.a.	n.a.
2615-15-8	Hexa(ethylene glycol)	n.a.	n.a.	n.a.	n.a.
112-60-7	Tetraethylene glycol	n.a.	n.a.	n.a.	n.a.
112-27-6	Ethanol, 2,2'-(1,2-Ethanediybis(oxy))bis-	n.a.	n.a.	n.a.	n.a.
111-46-6	Diethylene glycol	n.a.	n.a.	n.a.	n.a.
112-34-5	Diethylene glycol monobutyl ether	n.a.	n.a.	n.a.	n.a.
7601-54-9	Sodium phosphate, Tribasic	n.a.	n.a.	n.a.	n.a.
7558-80-7	Monosodium phosphate	n.a.	n.a.	n.a.	n.a.
7778-77-0	Potassium phosphate, Monobasic	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

No data available.

Results of PBT and vPvB assessment:

CAS# 112-50-5:

LC50, Goldfish (*Carassius auratus*), 5000000. UG/L, 24 H, Mortality, Water temperature: 20.00 C (68.0 F) C, pH: 7.00.

Results:

Affected fish stopped schooling behavior.

Affected fish lost equilibrium prior to death.

- The Acute Toxicity of Some Petrochemicals to Goldfish, Bridie, A.L., C.J.M. Wolff, and M. Winter, 1979

LC50, Brine Shrimp (*Artemia salina*), nauplii, 10000000. UG/L, 24 H, Mortality, Water temperature: 24.00 C (75.2 F) C.

Results:

Affected fish stopped schooling behavior.

Affected fish lost equilibrium prior to death.

- Brine Shrimp Bioassay and Seawater BOD of Petrochemicals, Price, K.S., G.T. Waggy, and R.A. Conway, 1974



SAFETY DATA SHEET

Super Heavy Duty Dot 3 Brake Fluid

13. Disposal Considerations

Waste Disposal Method: Dispose of contents/container in accordance with local/regional/national/international regulation.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not-Restricted

DOT Hazard Class:

UN/NA Number:

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not-Restricted

UN Number:

Hazard Class:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not-Restricted

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not-Restricted

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
112-50-5	Triethylene glycol monoethyl ether	No	No	Yes-Cat. N230
9004-74-4	Methoxypoly(ethylene glycol)	No	No	No
4792-15-8	Pentaethylene glycol	No	No	No
112-35-6	Triethylene glycol monoethyl ether	No	No	Yes-Cat. N230
143-22-6	Triethylene glycol monobutyl ether	No	No	Yes-Cat. N230
9004-77-7	Poly(oxy-1,2-ethanediyl), .alpha.-butyl-.omega.-hydroxy-	No	No	No
25322-68-3	Polyethylene glycol	No	No	No
5650-20-4	3,6,9,12-Tetraoxatetradecan-1-ol	No	No	No
2615-15-8	Hexa(ethylene glycol)	No	No	No
112-60-7	Tetraethylene glycol	No	No	No
112-27-6	Ethanol, 2,2'-[1,2-Ethanediylbis(oxy)]bis-	No	No	No
111-46-6	Diethylene glycol	No	No	No
112-34-5	Diethylene glycol monobutyl ether	No	No	Yes-Cat. N230
7601-54-9	Sodium phosphate, Tribasic	No	Yes 5000 LB	No
7558-80-7	Monosodium phosphate	No	No	No
7778-77-0	Potassium phosphate, Monobasic	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
112-50-5	Triethylene glycol monoethyl ether	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test; CA PROP.65: No; CA TAC, Title 8: TAC; MA Oil/HazMat: No; MI CMR, Part 5: Part 5; NC TAP: Yes - Cat.; NJ EHS: Yes - Cat.; NY Part 597: No; PA HSL: Yes - c; SC TAP: Yes - Cat.; WI Air: Yes - Cat.
9004-74-4	Methoxypoly(ethylene glycol)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA



SAFETY DATA SHEET

Super Heavy Duty Dot 3 Brake Fluid

Page: 8

Revision: 05/20/2014

Supersedes Revision: 08/06/2013

4792-15-8 Pentaethylene glycol

Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA

112-35-6 Triethylene glycol monoethyl ether

Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test; CA PROP.65: No; CA TAC, Title 8: TAC; MA Oil/HazMat: No; MI CMR, Part 5: Part 5; NC TAP: Yes - Cat.; NJ EHS: Yes - Cat.; NY Part 597: No; PA HSL: Yes - c; SC TAP: Yes - Cat.; WI Air: Yes - Cat.

143-22-6 Triethylene glycol monobutyl ether

CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test; CA PROP.65: No; CA TAC, Title 8: TAC; MA Oil/HazMat: No; MI CMR, Part 5: Part 5; NC TAP: Yes - Cat.; NJ EHS: Yes - Cat.; NY Part 597: No; PA HSL: Yes - c; SC TAP: Yes - Cat.; WI Air: Yes - Cat.

9004-77-7 Poly(oxy-1,2-ethanediyl),
.alpha.-butyl-.omega.-hydroxy-

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA
Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

25322-68-3 Polyethylene glycol

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA
Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

5650-20-4 3,6,9,12-Tetraoxatetradecan-1-ol

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA
Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

2615-15-8 Hexa(ethylene glycol)

CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

112-60-7 Tetraethylene glycol

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA
Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

112-27-6 Ethanol, 2,2'-[1,2-Ethanediylbis(oxy)]bis-

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA
Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: No

111-46-6 Diethylene glycol

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA
Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: No

112-34-5 Diethylene glycol monobutyl ether

CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test; CA PROP.65: No; CA TAC, Title 8: TAC; MA Oil/HazMat: No; MI CMR, Part 5: Part 5; NC TAP: Yes - Cat.; NJ EHS: Yes - Cat.; NY Part 597: No; PA HSL: Yes - c; SC TAP: Yes - Cat.; WI Air: Yes - Cat.

7601-54-9 Sodium phosphate, Tribasic

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA
Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: No; NJ EHS: Yes - 1724; NY Part 597: Yes; PA HSL: Yes - E; SC TAP: No; WI Air: No



SAFETY DATA SHEET

Super Heavy Duty Dot 3 Brake Fluid

Page: 9

Revision: 05/20/2014

Supersedes Revision: 08/06/2013

7558-80-7 Monosodium phosphate

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA
Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS:
No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA
Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS:
No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

7778-77-0 Potassium phosphate, Monobasic

CAS # Hazardous Components (Chemical Name)**International Regulatory Lists**

112-50-5 Triethylene glycol monoethyl ether

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes

9004-74-4 Methoxypoly(ethylene glycol)

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes

4792-15-8 Pentaethylene glycol

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes

112-35-6 Triethylene glycol monoethyl ether

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes

143-22-6 Triethylene glycol monobutyl ether

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes9004-77-7 Poly(oxy-1,2-ethanediyl),
.alpha.-butyl-omega.-hydroxy-Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes

25322-68-3 Polyethylene glycol

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes

5650-20-4 3,6,9,12-Tetraoxatetradecan-1-ol

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes

2615-15-8 Hexa(ethylene glycol)

Canadian DSL: No; Canadian NDSL: No; Taiwan TCSCA: Yes

112-60-7 Tetraethylene glycol

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes

112-27-6 Ethanol, 2,2'-[1,2-Ethanediylbis(oxy)]bis-

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes

111-46-6 Diethylene glycol

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes

112-34-5 Diethylene glycol monobutyl ether

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes

7601-54-9 Sodium phosphate, Tribasic

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes

7558-80-7 Monosodium phosphate

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes

7778-77-0 Potassium phosphate, Monobasic

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:
Yes



SAFETY DATA SHEET

Super Heavy Duty Dot 3 Brake Fluid

Page: 10

Revision: 05/20/2014
Supersedes Revision: 08/06/2013

16. Other Information

Revision Date: 05/20/2014

Hazard Rating System:



Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Cyclo Industries, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Cyclo Industries, Inc. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, Inc. will not be responsible for damages resulting from use of or reliance upon this information.