

# SAFETY DATA SHEET

Revision Date 14-Jan-2021 Version 11

## 1. IDENTIFICATION

**Product identifier** 

Product Name VERSACHEM SUPER CLEAR SILICONE GASKET MAKER 3 OZ.

Other means of identification

Product Code 73009

Recommended use of the chemical and restrictions on use

Recommended Use Sealant

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

ITW Permatex 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex

(866) 732-9502

24-hour emergency phone number

Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

E-mail address: mail@permatex.com

May Also Be Distributed by:

ITW Permatex Canada 101-2360 Bristol Circle

Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

## 2. HAZARDS IDENTIFICATION

## Classification

### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

## Label elements

## **Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Clear Physical state Paste Liquid Odor Acetic acid

**Precautionary Statements - Storage** 

Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal** 

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

## Other Information

Not applicable.

Unknown acute toxicity 4.5 % of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Chemical Name	CAS No	Weight-%
AMORPHOUS SILICA	7631-86-9	7 - 13
DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE	64742-46-7	5 - 10

## 4. FIRST AID MEASURES

## **Description of first aid measures**

**General advice** Get medical advice/attention if you feel unwell.

**Eye contact** IF IN EYES:. Wash with plenty of water.

**Skin contact** IF ON SKIN:. Wash with soap and water.

**Inhalation** IF INHALED. Remove to fresh air.

**Ingestion** IF SWALLOWED:. Rinse mouth. Do NOT induce vomiting.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

## Most important symptoms and effects, both acute and delayed

**Symptoms** See section 2 for more information.

## Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

## Suitable extinguishing media

Carbon dioxide (CO2), Use dry chemical, Foam

## Unsuitable extinguishing media

None

## Specific hazards arising from the chemical

None in particular.

**Explosion data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes and skin. Wash thoroughly after handling.

Environmental precautions

**Environmental precautions**Do not flush into surface water or sanitary sewer system. See section 12 for additional

ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin and eyes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Protect from moisture.

Incompatible materials Strong oxidizing agents, Acids, Water

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
AMORPHOUS SILICA	-	TWA: 50 μg/m <sup>3</sup> excludes	IDLH: 3000 mg/m <sup>3</sup>
7631-86-9		construction work, agricultural	TWA: 6 mg/m <sup>3</sup>
		operations, and exposures that	
		result from the processing of	
		sorptive clays	
		(vacated) TWA: 6 mg/m <sup>3</sup> <1%	
		Crystalline silica	
		TWA: 20 mppcf	
		: (80)/(% SiO2) mg/m <sup>3</sup> TWA	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Eyewash stations

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

Respiratory protection Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Polymerization

Polymerization

Tag Closed Cup

9.1. Information on basic physical and chemical properties

Physical state Paste Liquid
Appearance Clear
Odor Acetic acid

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** No information available

Melting point / freezing point

No information available
No information available

Flash point > 95 °C / > 203 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability (solid, gas) No infor Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available

Vapor pressure 10 mm Hg @ 25°C

Vapor density >1 Air = 1
Relative density 1.007

Water solubility Not applicable

Solubility(ies)

Partition coefficient

Autoignition temperature

Decomposition temperature

Kinematic viscosity

No information available

Kinematic viscosity
Dynamic viscosity
Explosive properties
No information available
No information available
No information available
No information available

Other Information

Softening point
Molecular weight
No information available

decomposition temperature)

## 10. STABILITY AND REACTIVITY

Reactivity

No information available

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong oxidizing agents, Acids, Water

**Hazardous Decomposition Products** 

Carbon oxides Nitrogen oxides (NOx) Acetic acid Formaldehyde

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

**Skin contact** May cause skin irritation and/or dermatitis.

**Ingestion** Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
AMORPHOUS SILICA	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2.2 mg/L (Rat) 1 h
7631-86-9			- ' '
DISTILLATES (PETROLEUM),	= 7400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 4.6 mg/L (Rat) 4 h
HYDROTREATED MIDDLE			- ' '
64742-46-7			

### Information on toxicological effects

Symptoms No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No information available.
No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
AMORPHOUS SILICA	-	Group 3	-	-
7631-86-9		-		

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Target Organ Effects Eyes, Respiratory system, Skin.

### The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 29194 mg/kg ATEmix (dermal) 11776 mg/kg ATEmix (inhalation-dust/mist) 5.5 mg/l

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

2 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

## Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

### **Mobility**

No information available.

#### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

## 14. TRANSPORT INFORMATION

DOT

Proper shipping name Not regulated

<u>IATA</u>

Proper shipping name Not regulated

**IMDG** 

Proper shipping name Not regulated

## 15. REGULATORY INFORMATION

## **International Inventories**

**TSCA** Complies DSL/NDSL Complies Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies **AICS** 

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

## US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

## **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals

The product contents are remaining to product or executions	
Chemical Name	California Proposition 65
AMORPHOUS SILICA	*Carcinogen
7631-86-9	

<sup>• \*</sup>The asterisked chemical(s) listed are not subject to Proposition 65 because they are not airborne in the finished product U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
AMORPHOUS SILICA	-	X	X
7631-86-9			

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

### **WHMIS Hazard Class**

Non-controlled

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 1 Flammability 1 Instability 0 -

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal protection B

NFPA (National Fire Protection Association)
HMIS (Hazardous Material Information System)

Revision Date 14-Jan-2021

## **Disclaimer**

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web

73009 -	VERSACHEM SUPER CLEAR SILICONE
<b>GASKET</b>	MAKER 3 OZ.

site.

**End of Safety Data Sheet**